

DGU Low-E Glass

Category	Aesthetics	Code	Nominal Thickness (mm)	Visible			SC	SHGC	U value (W/m ² -K)
				Transmittance (%)	Reflectance (%)				
					External	Internal			
	Neutral	KNT 140	24	37	23	12	0.32	0.28	1.8
	Neutral	KNT 155	24	47	17	10	0.41	0.36	1.9
	Neutral	KNT 164	24	57	14	10	0.51	0.44	1.9
	Green	KNT 464	24	47	11	10	0.34	0.30	1.9
	Green	KNT 455	24	39	13	10	0.29	0.25	1.9
	Green	KNT 440	24	30	17	12	0.24	0.21	1.8
	Blue	KNT 764	24	37	8	9	0.33	0.29	1.9
	Blue	KNT 755	24	31	10	10	0.28	0.24	1.9
	Blue	KNT 740	24	24	12	12	0.23	0.20	1.8
	Blue	KNT 140	24	36	24	17	0.33	0.29	1.8
	Neutral	SKN 174	24	67	10	12	0.44	0.38	1.6
	Neutral	SKN 165	24	59	15	17	0.37	0.32	1.6
	Neutral	SKN 154	24	50	18	20	0.30	0.26	1.6
	Neutral	SKN 144	24	40	21	13	0.26	0.23	1.6
	Green	SKN 454	24	42	14	26	0.27	0.23	1.5
	Green	SKN 444	24	33	15	12	0.23	0.20	1.6
	Blue	SKN 754	24	32	10	25	0.22	0.19	1.5
	Blue	SKN 744	24	26	11	12	0.21	0.18	1.6
	Neutral	ST 167	24	59	22	23	0.67	0.58	2.8
	Neutral-grey	ST 150	24	46	20	21	0.52	0.46	2.8
	Silver-grey	ST 136	24	33	23	23	0.40	0.34	2.8
	Silver	ST 120	24	18	32	30	0.25	0.22	2.6
	Silver	ST 108	24	7	44	38	0.12	0.10	1.9
	Green	ST 467	24	49	17	22	0.42	0.36	2.8
	Green	ST 450	24	37	15	21	0.35	0.30	2.8
	Green	ST 436	24	27	17	23	0.28	0.25	2.8
	Green	ST 420	24	15	23	30	0.20	0.18	2.6
	Green	ST 408	24	6	32	38	0.11	0.10	1.9
	Blue	ST 767	24	38	12	22	0.43	0.37	2.8
	Blue	ST 750	24	30	11	21	0.35	0.31	2.8
	Blue	ST 736	24	22	12	22	0.28	0.25	2.8
	Blue	ST 720	24	12	16	29	0.20	0.18	2.6
	Blue	ST 708	24	5	21	38	0.11	0.10	1.9
	Blue	STB 136	24	33	18	21	0.39	0.34	2.7
	Blue	STB 120	24	20	22	31	0.27	0.24	2.7
	Blue-green	STB 436	24	27	14	21	0.27	0.24	2.7
	Blue-green	STB 420	24	16	16	31	0.21	0.18	2.7

DGU constructed with 6mm Low E Glass - 12mm Air Space - 6mm Clear Glass